

AD-A161 959

THE AUGER LINESHAPE OF GRAPHITE(U) GEORGE WASHINGTON
UNIV WASHINGTON D C DEPT OF CHEMISTRY
J W ROGERS ET AL. OCT 85 TR-19 N00014-80-K-0052

1/1

UNCLASSIFIED


F/G 7/4

NL

END

FILMED

DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER No. 19	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE AUGER LINESHAPE OF GRAPHITE		5. TYPE OF REPORT & PERIOD COVERED Technical Report
6. AUTHOR(s) J.N. Rogers, J. E. Houston, R.R. Rye, F. L. Hutson and David E. Ramaker		7. PERFORMING ORG. REPORT NUMBER
8. PERFORMING ORGANIZATION NAME AND ADDRESS Chemistry Department George Washington University Washington, D.C. 20052		9. CONTRACT OR GRANT NUMBER(s) N00014-80-K-0852
10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBER Prog. Elem. No. 61153N Task Area No. PP 013-08-01 Work Unit # WR 056-681		11. REPORT DATE October 1985
12. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research, Dept. of Navy 800 N. Quincy Street Washington, D.C. 22217		13. NUMBER OF PAGES 7
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
16. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public release and sale; its distribution is unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Submitted for publication in the Journal of Vacuum Science and Technology.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) > Auger Spectroscopy, Graphite, Localization		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The C KVV Auger lineshape of graphite is quantitatively interpreted. Localization, static and dynamic screening effects, and intrinsic plasmon loss effects are discussed in the context of the theoretical model and found to contribute significantly to the lineshape.		

DD FORM 1 JAN 77 1473 EDITION OF 1 NOV 65 IS OBSOLETE
S/N 9102-014-6801

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

OFFICE OF NAVAL RESEARCH

N00014-80-K-0852

Task No. 056-681

Technical Report No. 19

THE AUGER LINESHAPE OF GRAPHITE

By

J. W. Rogers, J. E. Houston, R. R. Rye, F. L. Hutson, and D. E. Ramaker

Prepared for Publication

in the

Journal of Vacuum Science and Technology

George Washington University
Department of Chemistry
Washington, D.C. 20052

October 1985

Reproduction in whole or in part is permitted for any purpose
of the United States Government

This document has been approved for public release and sale;
its distribution is unlimited

DTIC
ELECTE
DEC 05 1985
D

AD-A161 959

DTIC FILE COPY

SUMMARY ABSTRACT -- The Auger Lineshape of Graphite

J. W. Rogers, Jr., J. E. Houston, and R. R. Rye*
Sandia National Laboratories, Albuquerque, NM 87185

and

F. L. Hutson and D. E. Ramaker**
Chemistry Department, George Washington University
Washington, DC 20052

The Auger lineshape of graphite has been the subject of considerable recent study (see ref. 1 and references therein). Although much of this attention has been due to graphite's novel intercalation properties, the graphite Auger spectrum is itself of interest as a model for studying initial-state, core-hole screening and final-state, hole-hole correlation effects in aromatic systems.

The first attempt at obtaining an accurate C(KVV) lineshape for graphite was reported by Smith and Levinson [2]. An attempt at quantitatively interpreting their lineshape was recently reported by Murday, et al. [3]. The major conclusion of this work was that the Auger spectrum was well characterized by a simple self-fold of the graphite density of states (DOS) which would imply a small and uniform value of the final state hole-hole repulsion energy for all graphite transitions and a negligible contribution from static and dynamic screening effects.

We have obtained the Auger spectrum for POCO graphite from data taken in two separate laboratories and on three

different types of electron-energy analyzers. These separate data were independently corrected for the effects of secondary-electron background and extrinsic losses. A typical spectrum is shown as curve a in Fig. 1.

Considerable care was taken to ensure that the absolute energy scale was accurate and that the lineshape is as free as possible from experimental and data-reduction artifacts. This spectrum shows significant differences from that reported by Smith and Levinson [2] which we attribute to an improper loss deconvolution of their experimental data [1]. This improper data handling resulted in incorrect assumptions in the subsequent theoretical analysis of Murday, et al. [3].

In Fig. 1, our C(KVV) lineshape (curve a) is compared to a model (curve b) which consists of the self-convolution of the graphite one-electron density of states including atomic values for the symmetry-determined Auger matrix elements and assuming no initial-state screening and noninteracting final-state holes. The one-electron partial DOS (σ_s , σ_p , π) were determined empirically [3] from x-ray emission spectra, x-ray photoemission spectra, and an assumed electron configuration of sp^2 . The model lineshape differs considerably from that of the experiment with intensity missing in the model function at both the high- and low-energy ends of the spectrum and there are significant differences in relative intensity throughout the main body of the line.

To characterize these discrepancies, we have considered both the static and dynamic aspects of initial- and final-state screening which are included in the model lineshape of Fig. 1c. The static polarization effect of initial-state screening has a negligible influence on the lineshape. However, valence electron shake up into the core excitonic level places charge in an energy region where very little exists in ground-state graphite giving rise to significant new intensity in the Auger lineshape just below the Fermi level. Modeling the dynamic Auger effect by the inclusion of a delta-function DOS at the Fermi energy and assuming that the valence/core excitonic electron participates in the Auger process along with a valence electron (Fig. 1g), results in a dramatic improvement between the measured (Fig. 1a) and model (Fig. 1c) lineshapes in the high-energy region.

The distorting effect on the predicted lineshape resulting from the hole-hole interaction in the Auger final state has been modeled using the Cini expression [4,5]. We have assumed that the empty portions of the σ and π bands are separated sufficiently from each other and from the filled portions to permit the use of the Cini filled-band formalism by including screened hole-hole repulsion parameters for the $\sigma^*\sigma$ (Fig. 1d), $\sigma^*\pi$ (Fig. 1e), and $\pi^*\pi$ (Fig. 1f) contributions. Under these assumptions we find effective hole-hole interaction energies of 2.2 eV for two holes in the σ band, 1.5 eV for one hole each in the σ and π

bands, and 0.6 eV for both holes in the π band. The application of the Cini expression results in considerable improvement of the model lineshape of Fig. 1c in the region below the principal maximum.


The final area of disagreement in the model lineshape consists of a shoulder-like feature on the low-energy side of the Auger line centered ~240 eV which is not accounted for by localization effects. We suggest, on the basis of more recent work by Cini and D'Andrea [6], that this structure is due to a plasmon effect intrinsic to the two-hole final state in the Auger process. The adequate characterization of this feature will undoubtedly require a theoretical model which includes multiple, partially-filled bands with the inclusion of dynamical final-state effects. A full account of the present work has been submitted elsewhere [1].

*This work performed at Sandia National Laboratories and supported by the U. S. Department of Energy under contract number DE-AC04-76DP00789.

** Supported by the Office of Naval Research.

References

1. J. E. Houston, J. W. Rogers, Jr., R. R. Rye, F. L. Hutson, and D. E. Ramaker, Phys. Rev. B, submitted.
2. M. A. Smith and L. L. Levenson, Phys. Rev. B 16, 2973 (1977).
3. J. S. Murday, B. I. Dunlap, F. L. Hutson II and



4. P. Gelhofen, Phys. Rev., 24, 4764 (1981).
5. M. Cini, Solid State Commun., 20, 605 (1976).
6. M. Cini, Phys. Rev., B 17, 2788 (1978).
7. M. Cini and A. D'Andrea, Phys. Rev. B 29, 6540 (1984).

Figure Caption

Figure 1. A comparison of the experimental C(KVV) Auger lineshape (curve a) of POCO graphite, the model lineshape (curve b) using the one-electron approximation with no hole-hole interaction, and the model lineshape (curve c) which includes initial-state screening, the Fermi level valence/core excitonic state, and the hole-hole interaction distortion calculated through the use of the Cini expression [4,5]. The contributions to the model lineshape of curve c from the σ^* , σ^* , and π^* self-folds, all distorted with the Cini expression, are shown as curves d, e, and f, respectively, and the contribution of the valence/core excitonic state is shown as curve g. Curve c is the sum of d, e, f, and g. The Fermi level (FL), after the addition of the C(1s) binding energy (284.6 eV), is also shown.

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	



TECHNICAL REPORT DISTRIBUTION LIST, GEN

ABSTRACTS DISTRIBUTION LIST, 056/625/629

	No. Copies	No. Copies		No. Copies
Office of Naval Research Attn: Code 413 800 N. Quincy Street Arlington, Virginia 22217	2		Dr. David Young Code 334 WORDA MSL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 5042 Crane, Indiana 47522	1		Naval Weapons Center Attn: Dr. A. B. Amster Chemistry Division China Lake, California 93555	1
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Washington, D.C. 20360	1		Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401	1		U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12		Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
DTNSRDC Attn: Dr. G. Bosmajian Applied Chemistry Division Annapolis, Maryland 21401	1		Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375	1			
			Dr. F. Carter Code 6132 Naval Research Laboratory Washington, D.C. 20375	
			Dr. Richard Colton Code 6112 Naval Research Laboratory Washington, D.C. 20375	
			Dr. Dan Pierce National Bureau of Standards Optical Physics Division Washington, D.C. 20234	
			Dr. R. Stanley Williams Department of Chemistry University of California Los Angeles, California 90024	
			Dr. R. P. Messmer Materials Characterization Lab. General Electric Company Schenectady, New York 22217	
			Dr. Robert Gomer Department of Chemistry James Franck Institute 5640 Ellis Avenue Chicago, Illinois 60637	
			Dr. Ronald Lee R301 Naval Surface Weapons Center White Oak Silver Spring, Maryland 20910	
			Dr. Paul Schoen Code 5570 Naval Research Laboratory Washington, D.C. 20375	
			Dr. John T. Yates Department of Chemistry University of Pittsburgh Pittsburgh, Pennsylvania 15260	
			Dr. Richard Greene Code 5230 Naval Research Laboratory Washington, D.C. 20375	
			Dr. L. Kesmodel Department of Physics Indiana University Bloomington, Indiana 47403	
			Dr. K. C. Janda California Institute of Technology Division of Chemistry and Chemical Engineering Pasadena, California 91125	
			Dr. E. A. Irene Department of Chemistry University of North Carolina Chapel Hill, North Carolina 27514	
			Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974	
			Dr. Martin Fieischmann Department of Chemistry Southampton University Southampton SO9 5NH Hampshire, England	
			Dr. John W. Wilkins Cornell University Laboratory of Atomic and Solid State Physics Ithaca, New York 14853	
			Dr. Richard Smardzewski Code 6130 Naval Research Laboratory Washington, D.C. 20375	
			Dr. H. Tachikawa Chemistry Department Jackson State University Jackson, Mississippi 39217	

DL/413/83/01
056/413-2

ABSTRACTS DISTRIBUTION LIST, 056/625/629

Dr. R. G. Wallis
Department of Physics
University of California
Irvine, California 92664

Dr. D. Ramaker
Chemistry Department
George Washington University
Washington, D.C. 20052

Dr. J. C. Hemminger
Chemistry Department
University of California
Irvine, California 92717

Dr. T. F. George
Chemistry Department
University of Rochester
Rochester, New York 14627

Dr. G. Rubloff
IBM
Thomas J. Watson Research Center
P.O. Box 218
Yorktown Heights, New York 10598

Dr. Horia Metiu
Chemistry Department
University of California
Santa Barbara, California 93106

Captain Lee Myers
AFOSR/MC
Bolling AFB
Washington, D.C. 20332

Dr. J. T. Keiser
Department of Chemistry
University of Richmond
Richmond, Virginia 23173

Dr. Roald Hoffmann
Department of Chemistry
Cornell University
Ithaca, New York 14853

Dr. J. E. Jensen
Hughes Research Laboratory
3011 Malibu Canyon Road
Malibu, California 90265

Dr. J. H. Weaver
Department of Chemical Engineering
and Materials Science
University of Minnesota
Minneapolis, Minnesota 55455

Dr. R. W. Plummer
Department of Physics
University of Pennsylvania
Philadelphia, Pennsylvania 19104

Dr. E. Yeager
Department of Chemistry
Case Western Reserve University
Cleveland, Ohio 44106

Dr. N. Winograd
Department of Chemistry
Pennsylvania State University
University Park, Pennsylvania 16802

Dr. G. D. Stein
Mechanical Engineering Department
Northwestern University
Evanston, Illinois 60201

Dr. A. Steckl
Department of Electrical and
Systems Engineering
Rensselaer Polytechnic Institute
Troy, New York 12181

Dr. G. H. Morrison
Department of Chemistry
Cornell University
Ithaca, New York 14853

Dr. P. Hansma
Physics Department
University of California
Santa Barbara, California 93106

Dr. J. Baldeschwieler
California Institute of Technology
Division of Chemistry
Pasadena, California 91125

Dr. W. Goddard
California Institute of Technology
Division of Chemistry
Pasadena, California 91125

Dr. W. Knauer
Hughes Research Laboratory
3011 Malibu Canyon Road
Malibu, California 90265

Dr. C. B. Harris
Department of Chemistry
University of California
Berkeley, California 94720

ABSTRACTS DISTRIBUTION LIST, 056/625/629

DL/413/83/01
056/413-2

Dr. G. A. Somorjai
Department of Chemistry
University of California
Berkeley, California 94720

Dr. J. Murday
Naval Research Laboratory
Surface Chemistry Division (6170)
455 Overlook Avenue, S.W.
Washington, D.C. 20375

Dr. J. B. Hudson
Materials Division
Rensselaer Polytechnic Institute
Troy, New York 12181

Dr. Theodore E. Madey
Surface Chemistry Section
Department of Commerce
National Bureau of Standards
Washington, D.C. 20234

Dr. J. E. Demuth
IBM Corporation
Thomas J. Watson Research Center
P.O. Box 218
Yorktown Heights, New York 10598

Dr. M. G. Lagally
Department of Metallurgical
and Mining Engineering
University of Wisconsin
Madison, Wisconsin 53706

Dr. R. P. Van Duyne
Chemistry Department
Northwestern University
Evanston, Illinois 60637

Dr. J. M. White
Department of Chemistry
University of Texas
Austin, Texas 78712

Dr. D. E. Harrison
Department of Physics
Naval Postgraduate School
Monterey, California 93940

Dr. W. Kohn
Department of Physics
University of California, San Diego
La Jolla, California 92037

Dr. R. L. Park
Director, Center of Materials
Research
University of Maryland
College Park, Maryland 20742

Dr. W. T. Peria
Electrical Engineering Department
University of Minnesota
Minneapolis, Minnesota 55455

Dr. Keith H. Johnson
Department of Metallurgy and
Materials Science
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Dr. S. Sibener
Department of Chemistry
James Franck Institute
5640 Ellis Avenue
Chicago, Illinois 60637

Dr. Arold Green
Quantum Surface Dynamics Branch
Code 3817
Naval Weapons Center
China Lake, California 93555

Dr. A. Wold
Department of Chemistry
Brown University
Providence, Rhode Island 02912

Dr. S. L. Bernasek
Department of Chemistry
Princeton University
Princeton, New Jersey 08544

Dr. P. Lund
Department of Chemistry
Howard University
Washington, D.C. 20059

END

FILMED

1-86

DTIC